

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	757	235/385.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:41
L2	1055	235/381.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:41
L3	2755	235/487.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:41
L4	0	340/572.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:41
L5	0	340/720.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:41
L6	631	340/551.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42
L7	2252	324/307.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42
L8	269	324/613.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42

L9	616	340/825.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 16:42
S1	750	235/385.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 06:43
S2	101	transpond\$3 near40 convey\$4 near40 (antenna or rfid or rf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 06:44
S3	750	235/385.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 06:44
S4	2	S3 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:08
S5	24	((radio adj frequency) or rf) near40 transpond\$3 near40 identif\$5 near40 item	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:44
S6	3	((radio adj frequency) or rf) near40 transpond\$3 near40 identif\$5 near40 item near40 convey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:47
S7	390	transponder near40 convey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:46

S8	3	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:46
S9	9	((radio adj frequency) or rf) near40 transpond\$3 near40 identif\$5 near40 item and convey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:35
S10	3	((radio adj frequency) or rf) near40 transpond\$3 near40 identif\$5 near40 item and convey\$4 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:56
S11	15	((radio adj frequency) or rf) near40 transpond\$3 near40 identif\$5 near40 item and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 07:56
S12	241	(rfid or (radio adj frequency) near30 tag\$3) near40 convey\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:22
S13	46	S12 and @pd<="20020623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 07:42
S14	5795	rfid or (radio adj frequency) near30 cylindric\$3 near40 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:28
S15	5785	rfid or (radio adj frequency) near30 cylindric\$3 near40 noise near40 dimension\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:28

S16	5785	rfid or (radio adj frequency) near30 cylindric\$3 near40 noise near40 dimension\$3 near40 megnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:28
S17	0	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 noise near40 dimension\$3 near40 megnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:28
S18	10	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:33
S19	0	(rfid or (radio adj frequency)) near30 (plural\$3 near20 cylindric\$3) near40 megnet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:36
S20	0	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 megnet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:37
S21	1	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 horizon\$4 near40 shift	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:37
S22	1	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 horizon\$4 near40 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:38
S23	2	(rfid or (radio adj frequency)) near30 cylindric\$3 near40 horizon\$4 near40 vertic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:39

S24	22	(rfid or (radio adj frequency)) near30 coil near40 horizon\$4 near40 vertic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:29
S25	14	(rfid or (radio adj frequency)) near30 coil near40 horizon\$4 near40 vertic\$3 and noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:31
S26	149	(rfid or (radio adj frequency)) near30 coil near40 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:31
S27	0	(rfid or (radio adj frequency)) near30 coil near40 noise near40 compensation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:31
S28	2	(rfid or (radio adj frequency)) near30 coil near40 noise near40 compensat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:34
S29	60	((rfid or (radio adj frequency)) near30 coil) and (noise near40 compensat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:35
S30	33	S29 and @pd<="20020623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:35
S31	6	(("6218942") or ("6201474") or ("5565846")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/21 12:56

S32	17	((rfid or (radio adj frequency) or antenna) near30 coil) near40 noise near40 read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:47
S33	0	((rfid or (radio adj frequency) or antenna) near30 coil) near40 ((electro or magnet) near10 noise) near40 read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:48
S34	0	((rfid or (radio adj frequency) or antenna) near30 coil) and ((rotate or arrange) near40 megnet\$3 near40 minimize near40 radiat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:51
S35	0	((rfid or (radio adj frequency) or antenna) near30 coil) and ((rotate or arrange) near40 megnetic near40 minimize near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:51
S36	0	((rfid or (radio adj frequency)) near30 coil) and ((rotate or arrange) near40 megnetic near40 minimize near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:52
S37	0	(antenna near30 coil) and ((rotate or arrange) near40 megnetic near40 minimize near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:52
S38	0	(antenna near30 coil) and (rotate near40 megnetic near40 minimize near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:53
S39	0	(antenna near30 coil) and (rotate near40 megnetic near40 radiation) and minimize	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:53

S40	0	(antenna near30 coil) and (rotate near40 magnetic near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:53
S41	0	(antenna near30 coil) and (arrange near40 magnetic near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 08:53
S42	1	(antenna near30 coil) and (megnetic near40 radiation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:49
S43	0	(antenna near30 coil) near40 unequal near40 spac\$4 near40 magnetic near40 homogeneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:50
S44	0	((antenna near30 coil) near40 unequal near40 spac\$4) and (magnetic near40 homogeneous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:51
S45	0	(antenna near30 coil) near40 unequal near40 spac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:52
S46	159	coil near40 unequal near40 spac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:52
S47	3	(coil near40 unequal near40 spac\$4) and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:27

S48	14	coil near40 unequal near40 antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:29
S49	0	coil near40 unequal near40 antenna and homogeneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:29
S50	0	(coil near40 unequal near40 antenna) and homogeneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:30
S51	0	(coil near40 unequal near40 antenna) and homogene\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:31
S52	7	(coil near40 unequal near40 antenna) and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:31
S53	62	coil near40 antenna near40 ax\$3 near40 distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:58
S54	1	coil near40 antenna near40 ax\$3 near40 distance near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:57
S55	37	S53 and @pd<="20020623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 12:59

S56	1	coil near40 (unequal adj spacing) near40 magnetic near40 homogeneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 06:51
S57	3	coil near40 (unequal adj spacing) near40 magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 06:53
S58	13	coil near40 (unequal adj spacing) and magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:02
S59	1205	coil near40 magnetic near40 homogeneous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:03
S60	15	coil near40 magnetic near40 homogeneous near40 spacing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:16
S61	5	coil near40 magnetic near40 homogeneous near40 ax\$3 near40 respective	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:24
S62	276	coil near40 magnetic near40 homogeneous near40 ax\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 07:24
S63	4	coil near40 increase near40 magnetic near40 homogeneous near40 ax\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 10:59

S64	194674	coil near40 ax\$3 turn near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:01
S65	79996	coil near40 (respect\$4 adj ax\$3) turn near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:01
S66	258	coil near40 ax\$3 near40 turn near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:01
S67	4	coil near40 (respect\$4 adj ax\$3) near40 turn near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:03
S68	21	coil near40 (respect\$4 near40 ax\$3) near40 turn near40 increase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:03
S69	2	("6218942").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 07:58